



LIQUID-COOLED SCR CLAMP ASSEMBLIES

Product ID	SCR Device Size (mm)	Bolt Hole Centers		Mounting Area		Profile pic and thermal curves
		(in)	(mm)	Ø (in)	Ø (mm)	
VG61	33	2.75	69.9	2.00	50.80	click here
VG141	50	4.00	101.6	2.00	50.80	click here
VG142	50	4.00	101.6	2.00	50.80	click here
VG151	50	4.00	101.6	2.00	50.80	click here
VG152	50	4.00	101.6	2.00	50.80	click here
VG181	50	4.00	101.6	2.00	50.80	click here
VG182	50	4.00	101.6	2.00	50.80	click here
VG771	77	5.50	139.7	3.00	76.20	click here
VG772	77	5.50	139.7	3.00	76.20	click here
VG991	100	7.50	190.5	4.00	101.60	click here
VG992	100	7.50	190.5	4.00	101.60	click here

VG61




Liquid-Cooled Clamp Assembly
Thermal Performance Characteristics
(1 Device / 2 Chill Blocks)




<<BACK

VG141




Liquid-Cooled Clamp Assembly
Thermal Performance Characteristics
(1 Device / 2 Chill Blocks)




<<BACK

VG142




Liquid-Cooled Clamp Assembly
Thermal Performance Characteristics
(1 Device / 2 Chill Blocks)




<<BACK

VG151




Liquid-Cooled Clamp Assembly
Thermal Performance Characteristics
(1 Device / 2 Chill Blocks)




<<BACK

VG152




Liquid-Cooled Clamp Assembly
Thermal Performance Characteristics
(1 Device / 2 Chill Blocks)




<<BACK

VG181




Liquid-Cooled Clamp Assembly
Thermal Performance Characteristics
(1 Device / 2 Chill Blocks)




<<BACK

VG182




Liquid-Cooled Clamp Assembly
Thermal Performance Characteristics
(2 Device / 3 Chill Blocks)




<<BACK

VG771




Liquid-Cooled Clamp Assembly
Thermal Performance Characteristics
(1 Device / 2 Chill Blocks)




<<BACK

VG772




Liquid-Cooled Clamp Assembly
Thermal Performance Characteristics
(2 Device / 3 Chill Blocks)




<<BACK

VG991




Liquid-Cooled Clamp Assembly
Thermal Performance Characteristics
(1 Device / 2 Chill Blocks)




<<BACK

VG992



Liquid-Cooled Clamp Assembly
Thermal Performance Characteristics
(2 Device / 3 Chill Blocks)



<<BACK