




LIQUID COOLED CHILL BLOCKS


	Width		Height		Thickness		Rec Allowable Mounting Area		Mass				
Product ID	(in)	(mm)	(in)	(mm)	(in)	(mm)	(Ø in)	(Ø mm)	(lbs)	(kg)	Thermal Resistance @ 2.0 GPM (°C/W)	Pressure Drop @ 2.0 GPM (PSI)	Profile pic
VG6010	3.250	82.55	3.000	76.20	0.875	22.23	2.0	50.8	1.05	0.48	0.07	1.7	click here
VG6075	3.250	82.55	3.000	76.20	0.750	19.05	2.0	50.8	0.88	0.40	0.07	1.7	click here
VG6110	3.250	82.55	6.500	165.10	0.875	22.23	2.0	50.8	1.55	0.70	0.07	1.7	click here
VG6210	4.500	114.30	2.000	50.80	0.750	19.05	2.0	50.8	0.87	0.39	0.063	.5	click here
VG6222	5.500	139.70	4.500	114.30	0.750	19.05	2.0	50.8	1.31	0.60	0.063	.5	click here
VG7010	4.250	107.95	4.000	101.60	0.875	22.23	3.0	76.2	2.33	1.05	0.042	1.5	click here
VG7110	4.250	107.95	9.000	228.60	0.875	22.23	3.0	76.2	3.47	1.57	0.042	1.5	click here
VG9010	6.500	165.10	4.000	101.60	0.875	22.23	4.0	101.6	4.25	1.93	0.028	.5	click here
VG9110	9.750	247.65	6.500	165.10	0.875	22.23	4.0	101.6	6.05	2.74	0.028	.5	click here

VG6010




<<BACK

VG6075




<<BACK

VG6110




<<BACK

VG6222




<<BACK

VG7010




<<BACK

VG7110




<<BACK

VG9010



[<<BACK](#)

VG9110



<<BACK